

# Drop Seals (Automatic Door Bottoms)

Information Bulletin 232



Eggers Industries

Date: November, 2011

Automatic door bottoms will require an oversize bottom rail. This rail will automatically be included in the price. This is for non-rated and fire-rated doors including acoustical doors.

Conflicts with automatic door bottoms occur when other hardware is prepped in the bottom rail of the door like concealed vertical rod bottom latching, bottom flush bolts and auxiliary fire latches. When this happens we can mortise for the automatic door bottom to within ½” of the conflicting prep as long as that prep for the automatic door bottoms is not less than 18” long; automatic door bottoms are not available in sizes less than 18”.

Note: The STC rating of acoustical doors will be void where door bottoms do not extend the full width of the door.



Stile and Rail Doors,  
Door Frames, Plywood  
Veneered Components

Two Rivers Division  
One Eggers Drive  
Two Rivers, WI 54241  
Phone: 920.793.1351  
Fax: 920.793.2958

Flush Doors

Neenah Division  
164 North Lake Street  
Neenah, WI 54956  
Phone: 920.722.6444  
Fax: 920.722.0357

Architectural Veneer Faces,  
Custom Wood Products,  
Plywood

Kentucky Division  
2125 Lake Jericho Road  
Smithfield, KY 40068  
Phone: 502.845.0154  
Fax: 502.849.0444