

Von Duprin Concealed Vertical Rod Hardware  
Information Bulletin



Eggers Industries

No. 430-04-08

Eggers is required to machine labeled doors in accordance with the hardware manufacturer's templates. In the case of the Von Duprin 3347, 3547 and 5547 concealed vertical rods the template calls for the stile to be attached after the hardware is installed and adjusted. When Eggers discontinued the use of 5" metal edges the option to field install a filler strip was removed. Von Duprin says the 3347A and 3547A versions can be installed in a pre-channeled edge, but they have not updated their template to reflect this. In addition, the 5547 device includes an inspection plate for adjustment and can be installed in a pre-channeled edge.

Eggers will provide labeled doors machined for the 3347A, 3547A or 5547 if the customer acknowledges the fact that the door will only be provided with a pre-channel edge and no 5" metal edge. A copy of a form letter (Von Duprin 33, 35 and 55 Series CVRs.doc) that may be used to communicate this to the customer is located in the "Form Letter" folder under Technical Literature on the shared (S) drive.

**Note:** The 3347 and 3547 (without the "A" suffix) are not available on labeled or construction tagged fire doors.



Eggers Industries

Stile & Rail Doors, Door Frames,  
Plywood, Veneered Components

**Two Rivers Division**  
One Eggers Drive  
Two Rivers, WI 54241  
Phone: 920.793.1351  
Fax: 920.793.2958

[www.eggersindustries.com](http://www.eggersindustries.com)

Flush Doors

**Neenah Division**  
164 North Lake Street  
Neenah, WI 54956  
Phone: 920.722.6444  
Fax: 920.722.0357

email: [sales@eggersindustries.com](mailto:sales@eggersindustries.com)