

Viewers in Labeled Doors

Information Bulletin 450



Eggers Industries

Date: December, 2010

Viewers in Labeled Doors

The use of listed viewers is approved for both Flush and Stile & Rail doors. The approval requires the viewers to be located in the components (core, mullions, crossrails or raised panels) having a minimum thickness of 1". Where our fire approvals allow for the use of flat panels that are thinner than the 1" dimension, there is a conflict.

Because we typically do not have all of the locations and dimensions at the time of quoting, we are unable to give assurance that the viewer will be compatible with the final layout. To avoid issues at time of order entry, whenever a door includes both a flat panel (less than 1" thick) as well as a viewer, the following verbiage needs to be sent to the customer as part of the quote:

"This quote includes viewers that are only allowed in door components at least 1" thick. Availability is dependant on final layout and locations."



Eggers Industries

Stile & Rail Doors, Door Frames, Plywood, Veneered Components

Two Rivers Division
One Eggers Drive
Two Rivers, WI 54241
Phone: 920.793.1351
Fax: 920.793.2958

www.eggiersindustries.com

Flush Doors

Neenah Division
164 North Lake Street
Neenah, WI 54956
Phone: 920.722.6444
Fax: 920.722.0357

email: sales@eggiersindustries.com