

Von Duprin 33-, 35- and 55-series CVRs

Information Bulletin 430



Date: April, 2014

Eggers Industries

Eggers is required to machine labeled doors in accordance with the hardware manufacturer's templates. In the case of the Von Duprin 3347, 3547 and 5547 concealed vertical rods the template includes a note relative to construction that states "door edging should be installed after device installation".

When Eggers was given approval to provide labeled doors without the use of 5" metal edges the option to field install a filler strip was removed. Von Duprin confirms the 3347A and 3547A versions can be installed in a pre-channeled edge, but they have not updated their template to reflect this. In addition, the 5547 device, which includes an inspection plate for adjustment, and can be installed in a pre-channeled edge.

Eggers will provide labeled doors machined for the 3347A, 3547A or 5547 if the customer acknowledges the door will only be provided with a pre-channel stile and no 5" metal edge. Our form letter [Von Duprin 33, 35 and 55 Series CVRs.doc](#) may be used to communicate this to the customer (see the "Form Letter" folder under Technical Literature on the shared (S) drive)

Note: The 3347 and 3547 (without the "A" suffix) are not available on labeled or construction tagged fire doors.



Stile and Rail Doors,
Door Frames, Plywood
Veneered Components

Two Rivers Division
One Eggers Drive
Two Rivers, WI 54241
Phone: 920.793.1351
Fax: 920.793.2958

Flush Doors

Neenah Division
164 North Lake Street
Neenah, WI 54956
Phone: 920.722.6444
Fax: 920.722.0357

Architectural Veneer Faces,
Custom Wood Products,
Plywood

Kentucky Division
2125 Lake Jericho Road
Smithfield, KY 40068
Phone: 502.845.0154
Fax: 502.849.0444