

Eggers Online FAQ's

Now that you have begun to use Eggers Online for quoting and/or order entry, this FAQ sheet may come in handy. These are the most popular actions required by users and often result in numerous questions.



GETTING STARTED | INITIAL ORDER SETUP

1-The Header Tab - The only information necessary beneath this tab is your **contact information**. Please enter your name and email at the bottom of the screen. When you are placing an order online, other details such as SHIP TO address will be required after you click **"Place Order."**

2 - Pick your Customer Name and enter the Project Name.

3 - Comments Tab

Quotes - Completion of these fields are not required. You may use them to input notes that will print on the front page of your copy.

Orders - The 2nd box, "Shipping/Freight Instructions" must include the name and 24-hr phone number for the jobsite contact for scheduling the delivery of the doors.

Please **do not** use it for the following:

- Special notes regarding jobsite delivery rules and requirements.
- Hardware machining notes.
- Sorting instructions.
- Special engineering requirements you were unable to enter.

These types of questions must be addressed prior to the submittal of your order. Please contact us if you have any special circumstances.

ITEM SELECTION | CONFIGURATION OPTIONS

SELECT OPTIONS | SORTING BY AREA OR FLOOR

- Sorting is entered in two ways depending upon the number of doors you have on the order. Single doors are shown below with you choosing your project-specific sort code.
- Multiple doors are sorted in the 3rd column of the Mark/Ref chart. This chart is accessed via the applink to the right of the Mark/Ref Number field.

SELECT OPTIONS | TO PREFIT OR NOT TO PREFIT

Frame Information

Please select a frame manufacturer from the list for default attributes.

Frame Manufacturer*

Width (in feet)*

Width (in inches)*

Length (in feet)*

Length (in inches)*

Prefit Instructions

Enter pre-fit clearances PER DOOR. Also enter nominal door height if there will be a transom.

[Do not use clearances to prefit door](#)

Nominal Door Height (feet)

Nominal Door Height (inches)

Top Edge*

Hinge Edge*

Lock/Meeting Edge*

Undercut

You have a choice -

1 - Use the Prefit Instructions to prefit your door by entering the top, hinge and lock/meeting edge clearances along with your undercut.

OR

2 - Check the checkbox to simply enter your own prefit dimensions.

Please Note:

The nominal door height is ONLY required when you are entering a door/transom combo.

SELECT OPTIONS | ADDITIONAL CONFIGURATIONS & OPTIONS

To add lites, blocking, hardware, applied moulding or other special features to your door - you must first check the appropriate checkbox. This striped section is located beneath the BASE tab for single doors and beneath the individual door tab for pairs of doors.

Once the checkbox is selected, an individual tab will appear for you to add that feature.

Additional Configuration / Options	
Blocking Tab	<input type="checkbox"/>
Hardware Tab	<input checked="" type="checkbox"/>
Openings Tab	<input checked="" type="checkbox"/>
Prefinish Tab	<input checked="" type="checkbox"/>
Moulding Tab	<input type="checkbox"/>
Packaging Tab *	<input checked="" type="checkbox"/>
Reveals Tab	<input type="checkbox"/>
Miscellaneous Tab	<input type="checkbox"/>
Transom Tab	<input type="checkbox"/>
Dutch/Wicket Tab	<input type="checkbox"/>

Select Options

Continue Cancel Price: Price is not available

Base Hardware **Openings**

Opening Type *

- Cutout
- Beads
- Vision Panel
- Louver
- Divided Lite
- Applied Grillwork
- Circular Vision Panel
- Flat Panel
- Sunburst
- Beadless Lite

SELECT OPTIONS | DOUBLE EGRESS PAIRS

Continue Cancel Price: Price is not available

Base **Door-1** Hardware Blocking Prefinish

Similar Color & Grain

Narrow Heart

Blueprint, Room, or End Match

Customer Supplied Veneer

Split Species

AWI-QCP

AWI-QCP Certification

No Added UF

Edge Information

Splicing

Hinge Edge Prep *

Lock Edge Prep * ←

- The Double Egress Bevel is selected beneath Door-1.
- Edge Information | Lock Edge Prep
- The door swings are selected as follows for veneer matching purposes:
RH / LHR or
LH / RHR

FINALIZING QUOTES OR MATCHING QUOTES TO ORDERS | PRICING

We are in the process of perfecting the ability for you to enter your quote number when you are entering orders. This will allow for the quote pricing to pull directly into the order. Until this feature is complete - please contact us with any questions or concerns about pricing. Please **do not** submit orders if you have any question concerning price. Pricing cannot be changed after you place your order.

Your Project Coordinator can always be consulted if you have any questions regarding quote pricing.



Stile & Rail Doors, Door Frames, Plywood Veneered Components

Two Rivers Division
One Eggers Drive
Two Rivers, WI 54241
Phone: 920.793.1351
Fax: 920.793.2958

Flush Doors

Neenah Division
164 North Lake Street
Neenah, WI. 54956
Phone: 920.722.6444
Fax: 920.722.0357

Architectural Veneer Faces, Custom Wood Products, Plywood

Kentucky Division
2125 Lake Jericho Road
Smithfield, KY 40068
Phone: 502.845.0154
Fax: 502.849.0444