




ENGINEERING SPECIFICATIONS

Sizes:	Min. 2'-0" x 6'-0", Max. 4'-0" x 10'-0"
Thickness:	1-3/4"
Frame:	Tested in grouted steel frame, must be installed in frame that will maintain the acoustical rating
Stiles:	Meets WDMA Extra Heavy Duty I.S. 1A Performance Level
Faces:	Wood Veneers, MDO, High-Pressure Decorative Laminate, Vinyl
Latching Hardware:	Single Point Latch
Hinges:	Level Swing - Butt Hinges
LEED® Contributions:	MR4 - Recycled Content, EQ4.4 - No Added Urea-Formaldehyde
Standards:	ASTM E90, E413

SINGLE SWING FLUSH DOORS	STC 35
Fire-Rating	20-Minute
Lites	N/A
Gasket System	M
Test Report	TL10-142
Weight Per Square Foot	10.0 lbs.

PERFORMANCE DESCRIPTION

STC RATING	WHAT CAN BE HEARD THROUGH THE DOOR
20 - 25	Very poor - Low speech audible
25 - 30	Poor - Normal speech understood easily and distinctly
30 - 35	Fair - Loud speech understood fairly well
35 - 40	Good - Loud speech heard but hardly intelligible, this is the onset of acoustic "privacy"
40 - 50	Very Good - Loud speech heard faintly, 90% of a typical group sample not annoyed
50 - 52	Excellent - Loud sounds heard faintly or not at all, 99% of a typical group sample not annoyed



**Stile and Rail Doors, Door Frames
Veneered Components, Plywood**



Two Rivers Division
One Eggers Drive
Two Rivers, WI 54241
Phone: 920.793.1351
Fax: 920.793.2958

Flush Doors

Neenah Division
164 North Lake Street
Neenah, WI 54956
Phone: 920.722.6444
Fax: 920.722.0357

**Architectural Veneer Faces,
Custom Wood Products, Plywood**

Kentucky Division
2125 Lake Jericho Road
Smithfield, KY 40068
Phone: 502.845.0154
Fax: 502.849.0444



Gasket System M

- Double row Pemko S-88 adhesive gasketing
- Pemko 234 door shoe
- 1/4" flat smooth threshold (i.e. Pemko 151)
- Required Undercut - 3/8"



Eggers Industries
www.eggiersindustries.com
sales@eggiersindustries.com

**Stile and Rail Doors, Door Frames
 Veneered Components, Plywood**

Two Rivers Division
 One Eggers Drive
 Two Rivers, WI 54241
 Phone: 920.793.1351
 Fax: 920.793.2958

Flush Doors

Neenah Division
 164 North Lake Street
 Neenah, WI 54956
 Phone: 920.722.6444
 Fax: 920.722.0357

**Architectural Veneer Faces,
 Custom Wood Products, Plywood**

Kentucky Division
 2125 Lake Jericho Road
 Smithfield, KY 40068
 Phone: 502.845.0154
 Fax: 502.849.0444